

Preventing and reversing food allergy in young children: references

Brough H. A. et al Increase in Multiple Nut Reactivity with Increasing Age is Not an Artefact of Incomplete Allergy Testing (Abstract) J ALLERGY CLIN IMMUNOL FEBRUARY 2011

Clark AT, Islam S, King Y, Deighton J, Anagnostou K, Ewan PW. Successful oral tolerance induction in severe peanut allergy. *Allergy* 2009.

Du Toit G., Katz Y, Sasieni P, Mesher D, Maleki SJ, Fisher HR et al. Early consumption of peanuts in infancy is associated with a low prevalence of peanut allergy. *J Allergy Clin Immunol* 2008; 122(5):984-991.

Kramer MS, Kakuma R. Optimal duration of exclusive breastfeeding. *Cochrane Database Syst Rev* 2002;(1):CD003517

Zutavern A, von Mutius E, Harris J, Mills P, Moffatt S, White C et al. The introduction of solids in relation to asthma and eczema. *Arch Dis Child* 2004; 89(4):303-308.

Infant feeding Guidelines/position papers:

Agostoni C, Decsi T, Fewtrell M, Goulet O, Kolacek S, Koletzko B et al. Complementary feeding: a commentary by the ESPGHAN Committee on Nutrition. *J Pediatr Gastroenterol Nutr* 2008; 46(1):99-110

COT statement on the review of the 1998 COT recommendations on peanut avoidance. 2008

Department of Health. Infant Feeding Recommendation. 2003

SACN & COT Joint statement. Timing of introduction of gluten into the infant diet. 2011

Current clinical trials

EAT Study:

[www.eatstudy.co.uk](http://www.eatstudy.co.uk)

LEAP Study:

[www.leapstudy.co.uk](http://www.leapstudy.co.uk)